890U Series Hospitality TVs

49" Class LED 55" Class LED 65" Class LED HG49NE890UF HG55NE890UF HG65NE890UF Samaarg Start TV

SMART TV UHD: The ultra high definition, ultimate in-room experience



Help menu

Hospitality TV sales:

1-888-727-2664 | 1-866-SAM4BIZ samsung.com/business samsung.com/b2bhospitalitytvs

Follow us

youtube.com/samsungbizusa

SamsungBizUSA

890U Series Hospitality TVs

Superior picture quality and dynamic interactivity, with advanced content management and widgets/applications

The Samsung 890U Series delivers the ultimate in-room guest experience. With exceptional picture quality and sound, these stylish displays treat guests to a totally immersive HD viewing experience. Best of all, each display is a SMART TV, giving guests a whole new level of interactivity that's exclusive to Samsung. With SMART TV 2.0, the hotel experience now includes smart mobile device support, embedded features and access to a multitude of apps and widgets. There are also a host of innovations for the hotelier, like energy-saving performance and remote content management, for cost savings and greater efficiency.

Key features



Stunning UHD (4K) picture

3840 x 2160 resolution (4x the number pixels of Full HD 1080p) delivers life-like image quality. A high-impact way to communicate in hospitality.



Premium slim-direct lit LED technology

Direct-lit LED technology provides the brilliance and energy savings advantages of LED technology, along with the uniform brightness typical of CCFL displays. And it does it all with an efficiency that makes it a more affordable technology. In fact, it's possible to upgrade your rooms to LED technology for a cost comparable to CCFL technology.



Samsung LYNK[™] REACH 4.0 content management solution

Samsung's LYNK REACH 4.0 fuses the benefits of its SINC and REACH hospitality technologies to offer a comprehensive content management solution. LYNK REACH 4.0 enhances the guest experience with efficiencyenhancing technology and perks ranging from more information delivery channels to convenient communication options and efficient room management. As a unified content management solution, LYNK REACH 4.0 accommodates LAN, WIFI and coaxial infrastructures to amplify hotel management, monitoring and guest service functions. Transferred by proprietary management server (PMS) and customized templates, hospitality users can create and deliver personalized service for a more memorable experience. This includes access to a range of IP channels and RF channels, applications and services mirroring what guests expect at home and on their mobile devices. LYNK REACH 4.0 additionally enables two-way communication between hotel management and guests. The solution's efficient remote control capability for in-room display ensures quality service delivery in real time without in-room labor and maintenance.



H-Browser compatibility

The Samsung 890U Series offers H-Browser through partnerships with certified system integrators, providing guests with a premium interactive experience. Built on the HTML5 standard with Flash® support, H-Browser is a true Smart TV solution that features both free and video on demand (VOD) content. It is able to interface directly with the head end without the use of a set top box.



Mobile device integration using Smart View

Samsung Smart View lets you seamlessly share content across your DLNAconnected Samsung devices, which includes WiDi, without the need for a network cable or a connecting device. Samsung Smart View allows screen mirroring and video streaming to enable seamless content sharing.

Samsung 890U Series Hospitality TVs

Samsung Hospitality TVs are loaded with features that provide premier guest satisfaction, while making your job easier.

Hospitality features

Anti-theft battery cover Battery door is secured, ensuring batteries remain in the remote controller.

Channel remapping Allows the hotelier to change channel and TV source to a different channel.

Clock on timer and alarm key Allows the guest to program the TV to turn on as a wake-up alarm.

Closed captioning

A text display of all audio content, including spoken dialog and non-speech information such as the identity of the speakers and symbols for sound effects and music.

Hotel channel list

Guest master channel listing of program content. This will display content in analog or HD.

Hotel logo display with time out setting Display hotel logo bitmap files as a greeting startup display.

Hotel mode plug & play Interactive stand-alone mode available.

Lockout controls The hotelier can enable front panel and menu display lock-outs.

On screen display language Choose English/French/Spanish.

Picture-in-picture

Display one program while another is being displayed on the full TV screen at the same time.

Power on status setting

Settings include power always on, last option or standby.

Multi-code remote

Eliminates interference when two or more TVs are used in close proximity to each other.

Samsung LYNK[™] REACH 4.0 content management solution

Samsung's LYNK REACH 4.0 fuses the benefits of its SINC and REACH hospitality technologies to offer a comprehensive content management solution. LYNK REACH 4.0 enhances the guest experience with efficiency-enhancing technology and perks ranging from more information delivery channels to convenient communication options and efficient room management. As a unified content management solution, LYNK REACH 4.0 accommodates LAN, WIFI and coaxial infrastructures to amplify hotel management, monitoring and guest service functions. Transferred by proprietary management server (PMS) and customized templates, hospitality users can create and deliver personalized service for a more memorable experience. This includes access to a range of IP channels and RF channels, applications and services mirroring what guests expect at home and on their mobile devices. LYNK REACH 4.0 additionally enables two-way communication between hotel management and guests. The solution's efficient remote control capability for in-room display ensures quality service delivery in real time without in-room labor and maintenance.

Sleep timer

Allows guest to set TV turn-off time in 30-minute intervals up to 180 minutes.

USB cloning

A quick and easy way to copy the ideal settings off one television to others on the property. Saves time and helps provide a consistent viewing experience for all televisions.

Connections

Samsung Smart View

Enjoy your favorite digital content from any of your DLNA-connected Samsung Devices. Samsung Smart View lets you wirelessly access and share content between your Samsung devices regardless of where you are. And there's no need for any cables or connected devices. It's also equipped with cloud technology, so you can upload your favorite content to a central web storage account and access it wherever you are.

Anynet + (HDMI – CEC)

This Samsung protocol allows the user to control other HDMI devices connected to the TV display, such as DVD players, PC computers and Soundbars.

ConnectShare[™] (USB 2.0) Connect a thumb drive or digital camera quickly and easily. User-friendly interface allows access to videos, a music playlist and pictures via the remote.

Hotel TV (RJ-12/IR pass through) Allows you to connect an interactive STB/SBB (Set Top Box/Set Back Box).

Hotel TV RJ45 Connection to hotel LAN using custom H-browser or Samsung LYNK[™] SINC.

Interactive compatibility system

ALLIN WEnseo Cuestiek BAHN * infovalue INNVUE \$ STISTREAMS NXTV Quadriga SXNIFI tangering: 😈 "******

Remote Jack Panel (RJP) compatibility G-LINK C teleadapt

WiFi[®]

With built-in WiFi, no additional equipment is needed to connect with an existing wireless router in your hotel network and start accessing Samsung Apps or other Smart TV features.

Picture Quality and Audio

4K UHD, MPEG4

Samsung 890U Series TVs feature 4K UHD. All TVs are also compatible with MPEG4.

Auto volume limiter

During initial product setup, minimum and maximum volume levels can be locked to help minimize disturbance to other hotel guests.

Quad core processor

Enahanced processing speeds allow you to perform multiple tasks at the same time with ease, such as using an app while downloading another one. It also enables faster web browsing while playing apps for TV programs that you recently opened through the Recent History feature.

Music mode (input: HDMI/PC/AV/component)

Allows audio feedback when picture is muted.

Music mode backlight on/off Shows a background display.

Premium scvlim-direct lit LED technology

Samsung's Slim-Direct Lit 890U Series puts any hotel in the best light possible and delivers an unparalleled guest experience. Available in 49", 55" and 65" picture sizes to fit in a wide range of rooms and suites, these energy-efficient flat panel TVs deliver best-in-class picture quality and value.

Samsung soundbar compatible

Samsung Hospitality Displays enable Soundbar compatibility by supporting HDMI-CEC. When you connect the Soundbar to the Samsung Hospitality Display with an HDMI cable, the TV audio settings and menu lock feature are automatically applied, so you don't have to set up the Soundbar separately. You can also prevent guests from changing the settings. With one single remote, guests can control both the TV and Soundbar simultaneously.

Warranty

2-year parts and 2-year labor warranty backed by Samsung Hospitality Hotline 1-866-894-0524. Optional professional installation, accessories and extended warranty are available.





Digital Rights Management (DRM)

Pro:Idiom[™] HD content decryption DRM (IP/RF) ProIdiom

The 890U Series is equipped with Pro:Idiom[™] MPEG4 technology, making the TVs compatible with most major VOD/PPV systems. You can offer your guests premium HDTV content from cable, satellite or video-on-demand services with no optional cards or external box needed.


Samsung LYNK[™] HD content decryption DRM (IP/RF)

Samsung's software-based DRM technology is integrated into the entire Samsung 2016 Hotel TV line. Samsung Lynk[™] offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security. IPTV-IP LYNK is available with REACH 4.0 and H-Browser 3.0.

Verimatrix[™] HD content decryption DRM (IP) verimatrix

IPTV-IP Multicast DRM is used in conjunction with Samsung LYNK[™] REACH 4.0. In viewing IPTV channel reliable access to unlock premium HDTV content from content providers such as cable and satellite providers. IPTV-IP LYNK is available with REACH 4.0 and H-Browser 3.0.

Dimensions



49" HG4	49NE890U	F - 2160P			
0	2	3	4	6	6
43.3"	25.1"	49.0"	27.9"	2.7"	13.2"
55" HG	55NE890U	F - 2160P			
0	2	3	4	6	6
48.6"	28.2"	55.0"	31.0"	2.5"	13.2"
65" HG6	65NE890U	F - 2160P			
0	2	3	4	6	6
					44.00
57.3"	33.1"	65.0"	36.4"	2.7"	14.9"

Connectivity

HG49NE890UF / HG55NE890UF / HG65NE890UF

- 1. USB (5V 0.5A)
- 2. USB (HDD 1.0A / Cloning
- 3. Digital Audio Out (Optical)
- 4. HDMI In 1 (ARC)
- 5. HDMI In 2
- 6. Data
- 7. LAN
- 8. Component In / AV In
- 9. Antenna In



Samsung 890U Series Hospitality TVs

		HG49NE890UF	HG55NE890UF	HG65NE890UF
splay	Backlight	LED	LED	LED
	Screen Size (Diagonal)	49"	55"	65"
	UHD	UHD	UHD	UHD
	Picture Engine	3840 × 2160	3840 × 2160	3840 × 2160 UHD Up-Scaling
viueu	Dynamic Contrast Ratio	UHD Up-Scaling Mega Contrast	UHD Up-Scaling Mega Contrast	Mega Contrast
	Viewing Angle (Horizontal/Vertical)	178/178	178/178	178/178
	Micro Dimming	UHD Dimming	UHD Dimming	UHD Dimming
	Active Crystal Color Auto Motion Plus	Yes	Yes	Yes
	Film Mode	Yes	Yes	Yes
Audio	Dolby Digital Plus	Yes	Yes	Yes
	DTS Codec Sound Output (RMS)	Yes 20W (L:10W, R:10W)	Yes 20W (L:10W, R:10W)	Yes 20W (L:10W, R:10W)
	Speaker Type	2CH (Down Firing w/Base Reflex)	2CH (Down Firing w/Base Reflex)	2CH (Down Firing w/Base Reflex)
	Wall Mount Sound Mode	Yes	Yes	Yes
	TV SoundConnect	Yes	Yes	Yes
RT TV	BT Headset Support Smart TV Type	Yes Smart	Yes Smart	Yes Smart
	Apps Panel	Yes	Yes	Yes
	Web Browser	Yes	Yes	Yes
tures	Voice Control Mobile to TV - Mirroring, DLNA	Yes Yes	Yes Yes	Yes Yes
	Samsung SMART View	Yes	Yes	Yes
	Processor	Quad Core	Quad Core	Quad Core
	Accessibility Digital Clean View	Voice Guide / Enlarge / High Contrast Yes	Voice Guide / Enlarge / High Contrast Yes	Voice Guide / Enlarge / High Contrast Yes
	Auto Channel Search	Yes	Yes	Yes
	Auto Power Off	Yes	Yes	Yes
	BD Wise Plus	Yes	Yes	Yes
	Caption (Subtitle) ConnectShare™ (HDD)	Yes	Yes	Yes
	ConnectShare [™] (USB 2.0)	Yes	Yes	Yes
	Sports Mode	Yes	Yes	Yes
	EPG Game Mode	Yes	Yes	Yes
	OSD Language	English, Spanish, French	Yes English, Spanish, French	English, Spanish, French
	Picture-In-Picture	Yes	Yes	Yes
	BT HID Support	Yes	Yes	Yes
stem	USB HID Support Digital Broadcasting	Yes ATSC/Clear QAM	Yes ATSC/Clear QAM	Yes ATSC/Clear QAM
	Analog Tuner	Yes	Yes	Yes
tures	Samsung LYNK™ SINC Compatibility	Yes	Yes	Yes
	Samsung LYNK [™] HMS Compatibility H.Browser	Yes	Yes	Yes
	Samsung LYNK™ REACH (IP / RF)	REACH 4.0 / REACH 4.0	REACH 4.0 / REACH 4.0	REACH 4.0 / REACH 4.0
	Samsung LYNK™ REACH RF Modulator Compatibility	Yes	Yes	Yes
	Hospitality Home Menu Bluetooth Music Player (Mobile → TV)	Home Menu 2015 Yes	Home Menu 2015 Yes	Home Menu 2015 Yes
	Hospitality Plug&Play (Easy Setup)	Yes	Yes	Yes
	Auto Source Mode	Yes	Yes	Yes
	Power On Mode Hotel Channel List	Yes	Yes	Yes
	Channel Menu Display	Yes	Yes	Yes
	Channel Menu Display Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes	Yes
	My Channel Energy Saving Mode (BLU Control)	Yes	Yes	Yes
	Logo Display with Timer Out Setting (BMP/Movie)	Yes	Yes Yes	Yes
	Welcome Message	Yes	Yes	Yes
	RJ12 / IR Pass Through Clock Back Up Power Supply	Yes	Yes	Yes
	Software Clock	Yes	Yes Yes	Yes
	Multi Code Remote Control	Yes	Yes	Yes
	Screwed Battery Cover	Yes	Yes	Yes
	Sound Bar Compatibility Music Mode (Input: PC/AV/Component/HDMI)	Yes	Yes Yes	Yes
	Music Mode Backlight On/Off	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes
	Smoovie Compatibility Soft AP	Yes	Yes	Yes
	On/Off Timer (Schedule)	Yes	Yes	Yes
	Wake-up Timer (Alarm)	Yes	Yes	Yes
	Samsung LYNK [™] DRM	Yes	Yes	Yes
	Pro:Idiom Security Mode	Yes	Yes	Yes
	S/W EPG (Solution EPG)	Yes	Yes	Yes
	Wake on LAN (WOL)	Yes	Yes	Yes
ntput	HDMI USB	2/0 2/0	2/0 2/0	2/0 2/0
	Component In (Y/Pb/Pr)	1/0	1/0	1/0
Comp	Composite In (AV)	1/0 (Common Use for Component Y)	1/0 (Common Use for Component Y)	1/0 (Common Use for Component Y)
	Ethernet (LAN)	1/0	1/0	1/0
	Digital Audio Out (Optical) RF In (Terrestrial / Cable input / Satellite Input)	1/0 1/0	1/0 1/0	1/0 1/0
	HDMI A / Return Ch. Support	Yes	Yes	Yes
	Wireless LAN Built-in	Yes	N/A	Yes
	Anynet+ (HDMI-CEC) RJ12	Yes 1/0	Yes 1/0	Yes 1/0
sign	Front Color	Silver	Silver	Silver
	Stand Type	Y-Shape	Y-Shape	Y-Shape
sions	Set Size without Stand - Speaker Side (WxHxD) (mm/in) Set Size with Stand (WxHxD) (mm/in)	1099.4 x 638.7 x 55.3 / 43.3 x 25.1 x 2.2 1009.4 x 709.0 x 334.1 / 43.3 x 27.9 x 13.2	1235.2 x 715.1 x 54.7 / 48.6 x 28.2 x 2.2 1225.2 x 786.7 x 224.1 / 48.6 x 21.0 x 12.2	1456.1 x 840.4 x 54.4 / 57.3 x 33.1 x 2.1 1456.1 x 924.3 x 378.7 (57.3 x 34.1 x 2.1
	Set Size with Stand (WXHXD) (mm/in) Package Size (WXHXD) (mm/inch)	1099.4 x 709.0 x 334.1 / 43.3 x 27.9 x 13.2 1275 x 733 x 163 / 50.2 x 28.9 x 6.4	1235.2 x 786.7 x 334.1 / 48.6 x 31.0 x 13.2 1425 x 819 x 163 / 56.1 x 32.2 x 6.4	1456.1 x 924.3 x 378.7 / 57.3 x 36.4 x 14. 1625 x 947 x 185 / 64.0 x 37.3 x 7.3
eight	Set Weight without Stand (kg / (bs)	14.0 / 30.9	16.9 / 37.3	23.2 / 51.1
	Set Weight with Stand (kg / lbs)	16.1 / 35.5	19.1 / 42.1	26.7 / 58.9
DIAKOF	Package Weight (kg / lbs)	21.4 / 47.2 AC110-120V 60Hz	25.4 / 56.0 AC110-120V 60Hz	34.6 / 76.3 AC110-120V 60Hz
sorv	Power Supply (V) Remote Controller Model	TM1480A+TM1240A	TM1480A+TM1240A	TM1480A+TM1240A
	Batteries (for Remote Control)	Yes	Yes	Yes
	Samsung Smart Control (Included)	Yes	Yes	Yes
	Mini Wall Mount Support Vesa Wall Mount Support	Yes Yes	Yes Yes	Yes
	Power Cable	Yes	Yes	Yes
	Quick Install Guide	Yes	Yes	Yes

Learn more samsung.com/business insights.samsung.com samsung.com/b2bhospitalitytvs

SAMSUNG

Follow us

Product support 1-866-SAM4BIZ

🕞 youtube.com/samsungbizusa 🕥 @SamsungBizUSA

4

©2016 Samsung Electronics America, Inc. Samsung is a registered mark of Samsung Electronics Corp., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All other brand, product, service names and logos are trademarks and/or registered trademarks of their respective manufacturers and companies. Simulated screen images. See samsung.com for detailed information. Printed in USA. HTV-890USERIESDSHT-JUL16T